

Fairline Squadron 58

£279,950 • Weymouth United Kingdom (UK) • Used • 2002

Presented by

Justin Garwell Phone: +44 (0) 1305 766504

JD YACHTS LIMITED 80 THE ESPLANADE DT4 7AA WEYMOUTH United Kingdom (UK)





JD YACHTS LIMITED



7zea.com

Details

Make:	Fairline
Model:	Squadron 58
Year:	2002
Condition:	Used
Engine:	Volvo D12 EDC, 700 hp
Engine type:	
Fuel type:	Diesel
Length:	17.92 m (58.79 ft)
Beam:	4.85 m (15.91 ft)
Cabins:	0
Berths:	0

Description

ENG

2002. 2 x 700 HP Volvo D12 EDC 6 berths in 3 cabins plus crew Lying: Weymouth UK

FNG

Extras

Reverse Cycle Air Conditioning Throughout

Raymarine AXIOM PRO 12 HybridTouch Multifunction Display to Lower Helm

Raymarine AXIOM PRO 12 HybridTouch Multifunction Display to

Upper Helm

Raymarine OUANTOM RADOME

Raytheon ST6001+ Autopilot

Raymarine R80 Pathfinder

Raytheon ST60 Tridata

Upgraded Sidepower Bow and Stern Thrusters

Upgraded Onan 21Kva Generator (New 2021)

Lewmar stern winches

Third Station Controller located in Cockpit

Teak side decks

Upgraded Passarelle (350kg SWL)

Saloon Fridge

Washing Machine

Flybridge Bimini

Standard Specification

Hullform and Construction

All gel coat and glass fibre hand laid with unidirectional, biaxial

and woven rovings

Antifouling protection to hull

Bowthruster 11hp

Deep 'V' forward; 18° deadrise aft

Designed by Bernard Olesinski and the Fairline design team

Full length moulded spray deflectors Hull/deck join bolted and bonded

Integrally moulded engine bearers

Isophthalic gel coat backed by isophthalic resin-rich powder-

bound glass mat

The deck incorporates polyurethane foam cores for high

strength and excellent thermal insulation

The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced

power settings The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving

efficiency by reducing the shaft angle Transverse and longitudinal strengthening stringers

throughout hull

Deck

Anchor chain locker

Anchor winch controls

Calibrated anchor chain

External covers to windscreen

Full set of IMCO navigation lights

Hot and cold water transom shower

Moulded non-slip deck surface

Recessed self-draining area on foredeck with coachroof sun cushions

'Reticulated' non-absorbent foam cushions for forward sundeck

Riding light

Rigid swim ladder to bathing platform

Rubbing strake

Self-stowing through-hull

Delta® anchor

Stainless steel bow fairlead(s) and mooring drums aft

Stainless steel bow, spring and stern cleats

Stainless steel fender basket in pulpit

Stainless steel grab rail(s) on each transom wing

Stainless steel handrails

Stainless steel hull protection plate under bow

Stainless steel pantograph windscreen wipers

Stainless steel pulpit

Transom gate from cockpit to integral bathing platform

Teak laid bathing platform

Twin horns

Water filler(s)

Windscreen washers

Flybridge and Second Helm Position

12v heavy duty weather-proof socket

Adjustable bolstered helm seating

Adjustable/tilt steering wheel

Bilge pump warning lights and audible alarms

Bowthruster controls

Companion seating to helm

Dedicated dining seating with large dining table and sunbed

conversion

Drinks holders

Echosounder and speedometer/distance log repeater(s) with

sea water temperature read out

Electronic single-lever throttle and gear controls for port and

starboard engines

Furniture covers

Flybridge bar with refrigerator, icemaker, sink, electric griddle

and waste bin

Helm position indicator

High speed magnetic compass

Instrument covers

Large sunbathing area forward of helm position with non-

absorbent foam-fi lled cushions Moulded non-slip deck surface

Powered steering

Remote anchor winch controls

Remote control searchlight with controls at both helm stations

Repeat autopilot controls

Repeat flybridge engine instrumentation, controls and

electronics

Searchlight controls

Stainless steel handrails

Teak-laid oversize flybridge steps

Trim tab controls

Twin radar masts with down-lighting

VHF radio telephone incorporating intercom

Wind-deflecting screen with grab rail

Aft Cockpit/Transom

12v heavy duty weather-proof socket

Access hatch to engine room and lazarette

Access hatch to optional aft crew cabin Aft cockpit enclosure covers

Bathing platform lights

Blue LED lighting to cockpit

Fender stowage

Life raft stowage

Manual bilge pump(s)

Stainless steel-framed sliding door to main saloon

Teak-laid floor throughout self-draining cockpit Telescopic hydraulic passerelle/dinghy lift

Twin transom gates

Warp lockers

2/10

White cockpit overhead lights

Main Helm Position



12v socket

Adjustable/tilt steering wheel

Bilge pump switches with integral operating warning lights and

audible alarms Bowthruster controls

Chart table and light Controls for engine bay fire extinguisher system

Drinks holders

Echosounder and speedometer/distance log repeater(s) with

sea water temperature read out

Electronic single-lever throttle and gear controls for port and

starboard engines

Foghorn with siren and loudhailer facility

Fuel gauges

Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms and engine hour meters

GPS/radar/chartplotter interfaced with autopilot

Helm position indicator

High speed magnetic compass Madrona finish instrument panel

Powered steering

Raymarine E120 navigation display Red night-light illumination to helm Remote anchor winch controls

Searchlight controls

Switches for navigation and riding lights, windscreen wipers

and engine bay extractor fans

Teak-laid floor Trim tab controls

Twin independent Recaro® helm and co-pilot seats with

electric adjustment

VHF radio telephone incorporating intercom

Main Saloon

32" LCD TV

Access to deck via side door Full-height standing headroom

Halogen ceiling lights

Handrail

Powerdrop window(s)

Sofa

Galley

Work surface with covers and fiddles

Crockery stowage Dishwasher to galley

Electric ceramic/halogen hob

Extractor fan

Halogen ceiling lights Integrated waste bin Lacquered cupboard doors

Microwave oven Refrigerator

Stowage cupboards and drawers

Teak-laid floor

Twin sinks with hot and cold mixer tap

Work surface lights

Master Stateroom

Access to en suite bathroom

Bedside stowage

CD/radio

Double bed with interior sprung mattress

Drawer(s) under bed

Full-height standing headroom

Halogen ceiling lights

Large hatch with flyscreen and concealed blinds to foredeck

Lockers (mid-level)

Mirror

Reading lights

Stainless steel opening porthole(s) with fl yscreen

Upholstered bedhead

Wardrobe(s)

Master En Suite Bathroom

220v/240v shaving point

Automatic shower tray pump-out system

Avonite® vanity unit with locker and basin with hot and cold

pressurised water

Electric silent-flush freshwater toilet

Extractor fan

Full set of bathroom fittings

Full standing height shower with solid teak gratings and hinged

door

Halogen ceiling lights

High level blue frosted glass window

Mirror

Stainless steel opening porthole(s) with flyscreen

Starboard Guest Cabin

Bedside stowage

Full length berths x 2 with high-comfort interior sprung

mattresses

Halogen ceiling lights Lockers (mid-level)

Mirror

Reading lights

Stainless steel opening porthole(s) with flyscreen

Wardrobe(s)

Port Guest Cabin

Access to en suite bathroom

Bedside stowage

Full length twin or double berths with high-comfort interior

sprung mattresses Halogen ceiling lights Lockers (mid-level)

Mirror

Reading lights

Stainless steel opening porthole(s) with flyscreen

Vanity unit or sofa Wardrobe(s)

Shower/WC Compartment

220v/240v shaving point

Automatic shower tray pump-out system

Avonite® vanity unit with locker and basin with hot and cold

pressurised water

Electric silent-flush freshwater toilet

Extractor fan

Full set of bathroom fittings

Full standing height shower with solid teak gratings and hinged

door

Halogen ceiling lights

High-level blue frosted glass window

Mirror

Stainless steel opening porthole(s) with flyscreen

Aft Crew Cabin

Full length berths x 2 Halogen ceiling lights Power point(s)

Stainless steel opening porthole(s) with flyscreen

Toilet and hand basin

Electrical Systems

All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel

Electrical sockets

Heavy duty circuit breakers Isolating switches to all batteries 12 Volt

Voltage dropper from domestic batteries provides 12v power where necessary for electrical helm seat, navigation and radio equipment only

24 Volt

Batteries - 2 x 220Ah exclusively for starboard engine starting Batteries - 4 x 200Ah wired in parallel supply for domestic

services and port engine starting

Emergency battery coupling system permits each engine to start from opposite engine battery bank

240 Volt

Polarity check and earth leakage protection system Power points throughout the boat (fed from shore power or generator)

Regulated 75amp charger for domestic batteries Shore power supply

Spare circuit breakers for optional equipment

Engines and Sterngear

Access through cockpit hatch

Aerodynamically designed engine air intakes

Automatic engine bay fire extinguisher system with warnings at both helms

Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override

Balanced rudders

Cathodic protection

Dripless shaft seals

Electro-hydraulic trim tabs with cathodic protection

Electric engine bay fan(s)

Engine bay lights

Engine room soundproofing

Exhaust overheat warning system

High capacity emergency manual bilge pump system with changeover valves

High corrosion-resistant TEMET shafts

Manganese bronze 'P' brackets

Manganese bronze propellers contra-rotating

Sea cocks on all inlets/outlets below waterline

Water cooled engine exhausts with silencers and side outlets

Fuel System

High capacity water separators and fuel filters with audible alarms at lower helm Individual fillers and vents to port and starboard Marine grade alloy fuel tanks x 2

Freshwater System

Automatic, pressurised supply Calorifier hot water system Manual override switch at lower helm Water tank(s)

General information

Make:	Fairline
Model:	Squadron 58
Year:	2002
Condition:	Used

Engine

Engine:	Volvo D12 EDC, 700 hp
Engine type:	
Fuel type:	Diesel

Measurements

Length:	17.92 m (58.79 ft)
Beam:	4.85 m (15.91 ft)
Deep:	1.39 m (4.56 ft)
Weight:	22353 ()

Accommodation

Cabins:	0
Berths:	0



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts




Image courtesy of JD Yachts




Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts







Image courtesy of JD Yachts

JD YACHTS LIMITED

80 THE ESPLANADE DT4 7AA WEYMOUTH United Kingdom (UK)

Phone: +44 (0) 1305 766504 http://jdyachts.com



